



GCUF32C-R

MINIMUM HEARTH DIMENSIONS

Front opening width - 29-7/8"
 Front opening height - 21-7/8"
 Rear wall width - 23-3/8"
 Firebox depth - 13-1/4"

TECHNICAL INFORMATION


Clearance on Fireplace - Zero
 CSA Design Certified

FACTORY INSTALLED OPTIONS

Without Firebrick (GCUF32C)
 Refractory Firebrick (GCUF32C-R)
 Cottage Clay Firebrick (GCUF32C-F)

FIELD INSTALLED ACCESSORIES

Variable Thermostat Controlled Forced Air Blower (160cfm) -BLOTMC
 Curved Trim - Brass, Pewter, Black
 Medium Trim - Brass, Pewter, Black
 Brass Hood
 Wide Profile Brass Hood
 Radiant Panel Kits
 Louvers - Brass, Pewter
 Cottage Clay Firebrick
 Cottage Red Firebrick
 Wood Cabinet Surrounds and Hearths
 Designer Facings



To avoid personal injury or property damage, the product described by this brochure must be installed, operated and maintained in strict compliance with the instructions packaged with the product and all applicable building or fire codes. Contact local building or fire officials about restrictions and installation inspection requirements. All photographs and drawings on this brochure are for illustrative purposes only and are not intended for, nor should they be used as a substitute for the instructions packaged with the unit. Appearance and specifications of the product are subject to change without notice. 6/06



GCUF36C-R

MINIMUM HEARTH DIMENSIONS

Front opening width - 34"
 Front opening height - 21-7/8"
 Rear wall width - 27-3/8"
 Firebox depth - 15-3/4"

TECHNICAL INFORMATION





Clearance on Fireplace - Zero
 CSA Design Certified

FACTORY INSTALLED OPTIONS

Without Firebrick (GCUF36C)
 Refractory Firebrick (GCUF36C-R)
 Cottage Clay Firebrick (GCUF36C-F)

FIELD INSTALLED ACCESSORIES

Variable Thermostat Controlled Forced Air Blower (160cfm) -BLOTMC
 Curved Trim - Brass, Pewter, Black
 Medium Trim - Brass, Pewter, Black
 Brass Hood
 Wide Profile Brass Hood
 Radiant Panel Kits
 Louvers - Brass, Pewter
 Cottage Clay Firebrick
 Cottage Red Firebrick
 Wood Cabinet Surrounds and Hearths
 Designer Facings



To avoid personal injury or property damage, the product described by this brochure must be installed, operated and maintained in strict compliance with the instructions packaged with the product and all applicable building or fire codes. Contact local building or fire officials about restrictions and installation inspection requirements. All photographs and drawings on this brochure are for illustrative purposes only and are not intended for, nor should they be used as a substitute for the instructions packaged with the unit. Appearance and specifications of the product are subject to change without notice. 6/06



GCUF42C-R

MINIMUM HEARTH DIMENSIONS

Front opening width - 40"
 Front opening height - 21-7/8"
 Rear wall width - 33-3/8"
 Firebox depth - 15-3/4"

TECHNICAL INFORMATION





Clearance on Fireplace - Zero
 CSA Design Certified

FACTORY INSTALLED OPTIONS

Without Firebrick (GCUF42C)
 Refractory Firebrick (GCUF42C-R)
 Cottage Clay Firebrick (GCUF42C-F)

FIELD INSTALLED ACCESSORIES

Variable Thermostat Controlled Forced Air Blower (160cfm) -BLOTMC
 Curved Trim - Brass, Pewter, Black
 Medium Trim - Brass, Pewter, Black
 Brass Hood
 Wide Profile Brass Hood
 Radiant Panel Kits
 Louvers - Brass, Pewter
 Cottage Clay Firebrick
 Cottage Red Firebrick
 Wood Cabinet Surrounds and Hearths
 Designer Facings



To avoid personal injury or property damage, the product described by this brochure must be installed, operated and maintained in strict compliance with the instructions packaged with the product and all applicable building or fire codes. Contact local building or fire officials about restrictions and installation inspection requirements. All photographs and drawings on this brochure are for illustrative purposes only and are not intended for, nor should they be used as a substitute for the instructions packaged with the unit. Appearance and specifications of the product are subject to change without notice. 6/06